

CLAIMS

1. A curable resin composition
which comprises a polyoxyalkylene polymer (a)
5 containing at least one reactive silyl group in each
molecule, 5 to 50 parts by weight of a hydrocarbon-based
plasticizer (b) per 100 parts by weight of (a) and 10 to
200 parts by weight of a needle crystal filler (c) on the
same basis.
10
2. The curable resin composition according to Claim 1
which contains 20 to 40 parts by weight of the
hydrocarbon-based plasticizer (b) per 100 parts by weight
of the polyoxyalkylene polymer (a) containing at least one
15 reactive silyl group in each molecule.
3. The curable resin composition according to Claim 1
or 2
wherein the hydrocarbon-based plasticizer (b) is a
20 paraffin-based hydrocarbon.
4. The curable resin composition according to Claim 3
wherein the hydrocarbon-based plasticizer (b) is a
cycloparaffin-based hydrocarbon or an isoparaffin-based
25 hydrocarbon.
5. The curable resin composition according to any of
Claims 1 to 4
wherein the needle crystal filler (c) is selected
30 from the group consisting of sepiolite, asbestos,
wollastonite, a needle crystal-type calcium carbonate,
glass fiber, carbon fiber and organic fiber.
6. The curable resin composition according to Claim 5
35 wherein the needle crystal filler (c) is a needle

crystal-type calcium carbonate.

7. The curable resin composition according to any of Claims 1 to 6

5 wherein the reactive silyl group of the polyoxyalkylene polymer (a) containing at least one reactive silyl group in each molecule is an alkoxysilyl group.

10 8. The curable resin composition according to any of Claims 1 to 7

 wherein the extrudability thereof is not less than 200 g/minute and the initial fixability thereof is not less than 180 g.

15

20

25

30

35